

Indice analitico del volume

aaa 191 aaa.c 940 abort() 247 abort.c 846 abs() 247
 abs.c 846 accept() 203 accept.c 894 access() 248
 access.c 916 *address resolution protocol* 77 addr_t 104 135
 allocated 191 allocated.c 940 applic.sep.ld 404
 arp 321 ARP 77 arp.c 941 arp.h 167 329 647
 arp_clean() 168 arp_clean.c 648 arp_index() 168
 arp_index.c 648 arp_init() 168 arp_init.c 649
 arp_print.c 649 arp_public.c 649 arp_reference()
 168 arp_reference.c 649 arp_request() 168
 arp_request.c 650 arp_rx() 168 arp_rx.c 651
 asctime() 252 asctime.c 908 assert() 248 assert.h
 753 ATA 35 ata.h 330 431 ata0 311 ata1 311 ata2 311
 ata3 311 ata4 311 ata5 311 ata6 311 ata7
 311 ata_cmd_identify_device()
 148 ata_cmd_identify_device.c
 434 ata_cmd_read_sectors()
 148 ata_cmd_read_sectors.c
 434 ata_cmd_write_sectors() 148
 ata_cmd_write_sectors.c 435 ata_device() 148
 ata_device.c 436 ata_drq() 148 ata_drq.c 437
 ata_init() 147 ata_init.c 438 ata_lba28() 148
 ata_lba28.c 441 ata_public.c 441 ata_rdy() 148
 ata_rdy.c 442 ata_read_sector() 149 ata_reset()
 147 ata_reset.c 442 ata_sector_t 104 147 ata_t 104
 147 ata_valid() 147 ata_valid.c 443
 ata_write_sector() 149 atexit() 249 atexit.c 847
 atoi() 250 atoi.c 847 atol() 250 atol.c 848 avvio 185
 basename() 250 basename.c 781 bbb.c 942 bind() 204
 bind.c 895 blk.h 138 332 416 blk_ata() 332 blk_ata.c
 138 417 blk_cache_check() 332 blk_cache_check.c
 418 blk_cache_init() 333 blk_cache_init.c 138 419
 blk_cache_read() 333 blk_cache_read.c 138 419
 blk_cache_save() 333 blk_cache_save.c 138 419
 blk_cache_t 104 blk_public.c 420 bochs 405 brk()
 205 brk.c 916 build.h 628 cat 192 cat.c 942 ccc.c 943
 chdir() 206 chdir.c 917 chgrp 192 chgrp.c 944 chiamata
 di sistema 124 chmod 192 chmod() 207 chmod.c 901 945
 chown 193 chown() 208 chown.c 917 946 clearerr() 251
 clearerr.c 797 CLI 12 cli() 113 cli.s 535 clock()
 208 clock.c 909 clock_t.h 754 close() 209 close.c
 917 closedir() 252 closedir.c 765 conclusione 185
 condotto 157 connect() 209 connect.c 895 console 311
 console0 311 console1 311 console2 311 console3 311
 cp 193 cp.c 947 CPL 9 creat() 252 creat.c 774
 crt0.mer.s 949 crt0.s 108 628 crt0.sep.s 951
 ctime() 252 ctype.h 754 date 193 date.c 953 dev.h 137
 334 420 dev_ata() 338 dev_ata.c 421 DEV_CONSOLE 139
 DEV_CONSOLEn 139 dev_dm() 337 dev_dm.c 137 422
 DEV_DMmn 139 dev_io() 137 337 dev_io.c 137 423
 dev_kmem() 338 dev_kmem.c 137 423 DEV_KMEM_ARP 139
 DEV_KMEM_FILE 139 DEV_KMEM_INODE 139
 DEV_KMEM_MMP 139 DEV_KMEM_NET 139 DEV_KMEM_PS 139
 DEV_KMEM_ROUTE 139 DEV_KMEM_SB 139 DEV_MEM 139
 dev_mem() 339 dev_mem.c 426 DEV_NULL 139 DEV_PORT
 139 DEV_TTY 139 dev_tty() 339 dev_tty.c 137 427
 DEV_ZERO 139 DIR.c 765 directory_t 104 dirent.h 764
 dirname() 250 dirname.c 782 div() 254 div.c 848 dm.h
 340 429 dm_init.c 430 dm_public.c 431 dm_t 147 DPL 9
 dup() 210 dup.c 918 dup2() 210 dup2.c 918 eccezione 29
 ed 194 ed.c 955 elf-to-os32 405 endgrent() 270
 endpwent() 275 environ 319 environ.c 918
 environment.c 848 errfn 255 errln 255 errno 255
 errno.c 773 errno.h 768 errset() 255 execl() 259
 execl.c 918 execl() 259 execl.c 919 execlp() 259
 execlp.c 919 execv() 259 execv.c 920 execve() 211

execve.c 920 execvp() 259 execvp.c 921 exit() 249
 exit.c 849 fchdir() 206 fchdir.c 922 fchmod() 207
 fchmod.c 901 fchown() 208 fchown.c 922 fclose() 260
 fclose.c 797 fcntl() 212 fcntl.c 775 fcntl.h 773
 fdisk 406 fd_dup() 163 343 fd_dup.c 480
 fd_reference() 163 344 fd_reference.c 481 fd_t 104
 feof() 261 feof.c 797 ferrord() 261 ferrord.c 797
 fflush() 262 fflush.c 798 fgetc() 262 fgetc.c 798
 fgetpos() 263 fgetpos.c 798 fgets() 263 fgets.c 798
 FILE.c 796 fileno() 264 fileno.c 799
 file_image_functions 407 file_pipe_make() 345
 file_pipe_make.c 482 file_reference() 159 345
 file_reference.c 482 file_stdio_dev_make() 159
 346 file_stdio_dev_make.c 483 file_t 104 159
 fopen() 264 fopen.c 799 fork() 214 fork.c 922 format
 410 fprintf() 286 fprintf.c 800 fputc() 266 fputc.c
 800 fputs() 266 fputs.c 801 fread() 267 fread.c 801
 free() 280 free.c 861 freopen() 264 freopen.c 801
 fs.h 149 340 475 fsconf() 292 fsconf.c 802 fseek() 267
 fseek.c 802 fseeko() 267 fseeko.c 802 fsetpos() 263
 fsetpos.c 802 fstat() 236 fstat.c 902 fs_init() 344
 fs_init.c 483 fs_public.c 484 ftell() 268
 ftell.c 803 ftello() 268 ftello.c 803 fwrite() 269
 fwrite.c 803 GDT 14 gdt() 114 gdt.c 536 gdt_load() 114
 gdt_load.s 536 gdt_print() 114 gdt_print.c 537
 gdt_public.c 537 gdt_segment() 114 gdt_segment.c 537
 gdt_t 104 getc() 262 getchar() 262 getchar.c 803
 getcwd() 214 getcwd.c 923 getegid() 215 getegid.c
 923 getenv() 269 getenv.c 850 geteuid() 216
 geteuid.c 924 getgid() 215 getgid.c 924 getgrent() 270
 getgrgid() 271 getgrnam() 271 getopt() 272
 getopt.c 924 getpgrp() 216 getpgrp.c 927 getpid() 216
 getpid.c 927 getppid() 216 getppid.c 928
 getpwent() 275 getpwnam() 276 getpwuid() 276
 gets() 263 gets.c 804 getty 321 getty.c 972 getuid() 216
 getuid.c 928 *global descriptor table* 14 gmtime() 252
 gmtime.c 909 grent.c 776 group 317 grp.h 776
 header_t 104 htonl() 251 htonl.c 761 htons() 251
 htons.c 762 http 322 http.c 973 h_addr_t 104 168
 ibm_i386.h 112 368 530 ICMP 83 icmp.h 371 653 783
 icmp_rx() 172 icmp_rx.c 653 icmp_tx() 172
 icmp_tx.c 655 icmp_tx_echo() 172 icmp_tx_echo.c
 656 icmp_tx_unreachable() 172
 icmp_tx_unreachable.c 656 IDE 35 IDT 21 idt() 115
 idt.c 538 idtr_t 104 idt_descriptor() 115
 idt_descriptor.c 539 idt_irq_remap() 115
 idt_irq_remap.c 539 idt_load() 115 idt_load.s 540
 idt_print() 115 idt_print.c 540 idt_public.c 541
 idt_t 104 imaxabs() 247 imaxabs.c 781 imaxdiv() 254
 imaxdiv.c 781 in.h 785 INB 11 inet.h 761 inet_ntop() 277
 inet_ntop.c 762 inet_pton() 278 inet_pton.c
 762 init 322 init.c 980 inittab 317 inode_alloc() 154 346
 inode_alloc.c 484 inode_check() 154 347
 inode_check.c 486 inode_dir_empty() 154 348
 inode_dir_empty.c 487 inode_file_read() 154 349
 inode_file_read.c 488 inode_file_write() 154 350
 inode_file_write.c 490 inode_free() 154 350
 inode_free.c 491 inode_fzones_read() 154 351
 inode_fzones_read.c 492 inode_fzones_write() 154
 351 inode_fzones_write.c 492 inode_get() 154 352
 inode_get.c 493 inode_pipe_make() 154 353
 inode_pipe_make.c 496 inode_pipe_read() 154 353
 inode_pipe_read.c 497 inode_pipe_write() 154 354
 inode_pipe_write.c 498 inode_print() 154 354
 inode_print.c 499 inode_put() 154 355 inode_put.c
 500 inode_reference() 154 355 inode_reference.c
 501 inode_save() 154 356 inode_save.c

503 inode_stdio_dev_make() 154 357
 inode_stdio_dev_make.c 503 inode_t 104 152
 inode_truncate() 154 357 inode_truncate.c 504
 inode_zone() 154 358 inode_zone.c 506
 input_line() 278 input_line.c 885 interfaccia di rete 56
interrupt descriptor table 21 interruzione 24 inttypes.h 777
 in_16() 112 in_8() 112 ip.h 168 371 657 786 ipconfig
 323 ipconfig() 217 ipconfig.c 887 983 IPv4 76 79
 ip_checksum() 168 ip_checksum.c 658 ip_header() 168
 ip_header.c 659 ip_mask() 168 ip_mask.c 659
 ip_public.c 660 ip_reference() 168
 ip_reference.c 660 ip_rx() 168 ip_rx.c 660
 ip_table[] 169 ip_tx() 168 ip_tx.c 663 IRET 24
 irq_off() 113 irq_off.c 541 irq_on() 113 irq_on.c
 541 isatty() 279 isatty.c 928 isr.s 117 542
 isr_exception_name() 116 isr_exception_name.c
 552 isr_exception_unrecoverable() 116
 isr_exception_unrecoverable.c 552
 isr_irq_clear() 116 isr_irq_clear.c 553
 isr_irq_clear_pic1() 116 isr_irq_clear_pic1.c
 553 isr_irq_clear_pic2() 116
 isr_irq_clear_pic2.c 553 isr_n() 116 issue 317 I&D
 100 kbd.h 372 443 kbd_isr() 144 kbd_isr.c 443
 kbd_load() 144 kbd_load.c 445 kbd_public.c 447
 kbd_t 104 kernel.ld 108 410 kill 195 kill() 217
 kill.c 794 984 kmain.c 629 kmem_arp 312 kmem_file
 312 kmem_inode 312 kmem_mmp 312 kmem_net 313
 kmem_ps 313 kmem_route 313 kmem_sb 314 k_exit.s 554
 k_gets.c 554 k_perror.c 555 k_printf.c 555
 k_sleep.c 555 k_stime.c 556 k_usleep.c 556
 k_vprintf.c 557 k_vsprintf.c 557 labs() 247 labs.c
 851 ldiv() 254 ldiv.c 851 LGDT 20 libgen.h 781
 lib_k.h 372 554 lib_s.h 372 558 LIDT 23 limits.h 754
 link() 218 link.c 929 listen() 219 listen.c 896
 llabs() 247 llabs.c 851 lldiv() 254 lldiv.c 851 ln
 195 ln.c 987 localtime() 252 login 196 login.c 989
 longjmp() 129 231 longjmp.c 791 ls 196 ls.c 991
 lseek() 220 lseek.c 929 main() 109 main.h 373 627
 major() 280 major.c 904 MAKEDEV 323 makedev() 280
 makedev.c 904 MAKEDEV.c 938 makeit.sep 411
 malloc() 280 malloc.c 862 man 197 man.c 995
 mboot_cmdline_opt() 107 mboot_cmdline_opt.c 642
 mboot_public.c 643 mboot_save() 107 mboot_save.c
 643 mb_alloc() 135 mb_alloc.c 636 mb_alloc_size() 135
 mb_alloc_size.c 637 mb_clean() 135 mb_clean.c
 638 mb_free() 135 mb_free.c 638 mb_print() 135
 mb_print.c 639 mb_public.c 640 mb_reduce() 135
 mb_reduce.c 640 mb_reference() 135
 mb_reference.c 641 mb_size() 135 mb_size.c 641 mem
 314 memccpy() 281 memccpy.c 867 memchr() 281
 memchr.c 868 memcmp() 282 memcmp.c 868 memcpy() 282
 memcpy.c 868 memmove() 283 memmove.c 868 memory.c
 135 memory.h 135 373 635 memset() 283 memset.c 869
 MEM_BLOCK_SIZE 135 MEM_MAX_BLOCKS 135 menu.c 634
 minor() 280 minor.c 904 mkdir 197 mkdir() 220
 mkdir.c 902 999 mknod() 221 mknod.c 903 mktime() 252
 mktime.c 911 mmcheck 198 mmcheck.c 1002 more 198
 more.c 1004 mount 324 mount() 222 mount.c 888 1007
 multiboot.h 374 641 multiboot_t 104 *multiboot
 specification* 105 namep() 283 namep.c 888 nc 199 nc.c
 1008 NE2000 56 ne2k.h 374 447 ne2k_check() 164
 ne2k_check.c 449 ne2k_isr() 164 ne2k_isr.c 450
 ne2k_isr_expect() 164 ne2k_isr_expect.c 451
 ne2k_reset() 164 ne2k_reset.c 452 ne2k_rx() 164
 ne2k_rx.c 457 ne2k_rx_reset() 164
 ne2k_rx_reset.c 461 ne2k_tx() 164 ne2k_tx.c 462
 net.h 164 375 644 net_buffer_eth() 166

net_buffer_eth.c 665 net_buffer_lo() 166
net_buffer_lo.c 665 net_eth_ip_tx() 166
net_eth_ip_tx.c 666 net_eth_tx() 166
net_eth_tx.c 668 net_index() 166 net_index.c 668
net_index_eth() 166 net_index_eth.c 668
net_init() 166 net_init.c 669 net_print.c 672
net_public.c 672 net_rx() 166 net_rx.c 673 NIC 56
ntohl() 251 ntohl.c 764 ntohs() 251 ntohs.c 764 null
315 NULL.h 753 offsetof() 284 open() 223 open.c 775
opendir() 285 opendir.c 766 os32 97 os32.h 137 877
OUTB 11 out_16() 112 out_8() 112 part.h 376 703
passwd 318 PATA 35 path_device() 161 365
path_device.c 512 path_fix() 161 365 path_fix.c
513 path_full() 161 366 path_full.c 514
path_inode() 161 366 path_inode.c 514
path_inode_link() 161 367 path_inode_link.c 517
PCI 48 pci.h 376 463 pci_init.c 465 pci_public.c 466
peripheral component interconnect 48 perror() 285 perror.c
804 PIC 30 ping 324 ping.c 1012 pipe 157 pipe() 225
pipe.c 929 PIT 33 port 315 printf() 286 printf.c 805
proc.h 117 377 704 proc_available() 377
proc_available.c 706 proc_dump_memory() 377
proc_dump_memory.c 707 proc_init() 125 378
proc_init.c 708 proc_print() 379 proc_print.c 710
proc_public.c 712 proc_reference() 379
proc_reference.c 712 proc_scheduler() 126 381
proc_scheduler.c 719 proc_sch_net() 379
proc_sch_net.c 712 proc_sch_signals() 380
proc_sch_signals.c 713 proc_sch_terminals() 380
proc_sch_terminals.c 714 proc_sch_timers() 381
proc_sch_timers.c 719 proc_sig_chld() 383
proc_sig_chld.c 722 proc_sig_cont() 383
proc_sig_cont.c 722 proc_sig_core() 384
proc_sig_core.c 723 proc_sig_handler() 127 384
proc_sig_handler.c 724 proc_sig_ignore() 385
proc_sig_ignore.c 727 proc_sig_off() 386
proc_sig_off.c 727 proc_sig_on() 386
proc_sig_on.c 727 proc_sig_status() 386
proc_sig_status.c 727 proc_sig_stop() 387
proc_sig_stop.c 727 proc_sig_term() 387
proc_sig_term.c 728 proc_sys_exec() 388
proc_sys_exec.c 728 proc_t 104 121
proc_timer_init() 389 proc_timer_init.c
738 proc_wakeup_pipe_read()
390 proc_wakeup_pipe_read.c
739 proc_wakeup_pipe_write()
390 proc_wakeup_pipe_write.c
739 proc_wakeup_terminal() 390
proc_wakeup_terminal.c 739 *programmable interrupt
controller* 30 *programmable interval timer* 33 ps 199 ps.c 1015
PS/2 34 ptr() 391 ptr.c 740 ptrdiff_t.h 755 putc() 266
putc() 266 putchar.c 805 putenv() 289
putenv.c 851 puts() 266 puts.c 805 pwd.h 788 pwent.c
789 qemu 415 qsort() 289 qsort.c 853 rand() 290
rand.c 854 read() 226 read.c 930 readdir() 291
readdir.c 767 realloc() 280 realloc.c 865
recvfrom() 226 recvfrom.c 896 restrict.h 755
rewind() 291 rewind.c 806 rewinddir() 292
rewinddir.c 768 rm 200 rm.c 1018 rmdir 201 rmdir()
227 rmdir.c 931 1019 route 325 route.c 1020 route.h
392 674 routeadd() 228 routeadd.c 890 routedel()
229 routedel.c 891 route_init() 171 route_init.c
674 route_print.c 675 route_public.c
675 route_remote_to_local()
171 route_remote_to_local.c
676 route_remote_to_router() 171
route_remote_to_router.c 676 route_sort() 171

route_sort.c 677 RPL 9 run.c 634 sa_family_t.h 893
sbrk() 205 sbrk.c 931 sb_inode_status() 150 359
sb_inode_status.c 521 sb_mount() 150 359
sb_mount.c 521 sb_print() 150 360 sb_print.c 524
sb_reference() 150 360 sb_reference.c 524
sb_save() 150 361 sb_save.c 525 sb_t 104 149
sb_zone_status() 150 359 sb_zone_status.c 526
scanf() 292 scanf.c 806 screen.h 393 466
screen_cell() 145 screen_clear() 145
screen_clear.c 467 screen_current() 145
screen_current.c 467 screen_init() 145
screen_init.c 467 screen_newline() 145
screen_new_line.c 468 screen_number() 145
screen_number.c 468 screen_pointer() 145
screen_pointer.c 469 screen_public.c 469
screen_putc() 145 screen_putc.c 469
screen_scroll() 145 screen_scroll.c 470
screen_select() 145 screen_select.c 470 screen_t
104 screen_update() 145 screen_update.c 471
SEEK.h 753 selector 10 selettore 10 send() 229 send.c 898
setbuf() 296 setbuf.c 806 setegid() 230 setegid.c
932 setenv() 296 setenv.c 855 seteuid() 233
seteuid.c 932 setgid() 230 setgid.c 932 setgrent()
270 setjmp() 129 231 setjmp.h 790 setjmp.s 791
setpgrp() 233 setpgrp.c 932 setpwnent() 275
setuid() 233 setuid.c 933 setvbuf() 296 setvbuf.c
806 shell 201 shell.c 1021 signal() 234 signal.c 794
signal.h 792 size_t.h 756 sleep() 235 sleep.c 933
snprintf() 286 snprintf.c 806 socket 319 socket()
236 socket.c 899 socket.h 893 socklen_t.h 899
sock_free_port() 362 sock_free_port.c 526
sock_reference() 362 sock_reference.c 526 *specifiche
multiboot* 105 sprintf() 286 sprintf.c 806 srand() 290
sscanf() 292 sscanf.c 807 stack.s 108 635 stat() 236
stat.c 903 stat.h 899 stdarg.h 756 stdbool.h 756
stddef.h 756 stdint.h 756 stdio.h 297 794 stdlib.h
844 STI 12 sti() 113 sti.s 553 stime() 241 stime.c 913
strcat() 298 strcat.c 869 strchr() 299 strchr.c 869
strcmp() 299 strcmp.c 870 strcoll() 299 strcoll.c
870 strcpy() 300 strcpy.c 870 strcspn() 302
strcspn.c 870 strdup() 300 strdup.c 871 strerror()
301 strerror.c 871 string.h 866 strlen() 301
strlen.c 873 strncat() 298 strncat.c 873 strncmp()
299 strncmp.c 873 strncpy() 300 strncpy.c 873
strpbrk() 302 strpbrk.c 874 strrchr() 299
strrchr.c 874 strspn() 302 strspn.c 874 strstr()
303 strstr.c 875 strtok() 303 strtok.c 875 strtol()
304 strtol.c 856 strtoul() 304 strtoul.c 859
strxfrm() 305 strxfrm.c 877 sys() 239 sys.s 891
syslinux 416 sysroutine() 124 125 391 sysroutine.c
740 s_accept.c 562 s_bind.c 564 s_brk() 372 s_brk.c
565 s_chdir() 162 372 s_chdir.c 569 s_chmod() 162 372
s_chmod.c 569 s_chown() 162 163 372 s_chown.c 570
s_clock() 372 s_clock.c 571 s_close() 372
s_close.c 571 s_connect.c 572 s_dup() 163 372
s_dup.c 575 s_dup2() 163 372 s_dup2.c 575
s_fchmod() 163 372 s_fchmod.c 575 s_fchown() 372
s_fchown.c 576 s_fcntl() 163 372 s_fcntl.c 577
s_fork() 372 s_fork.c 578 s_fstat() 163 372
s_fstat.c 582 s_ipconfig.c 583 s_kill() 372
s_kill.c 584 s_link() 162 372 s_link.c 585
s_listen.c 586 s_longjmp() 129 372 s_longjmp.c 587
s_lseek() 163 372 s_lseek.c 588 s_mkdir() 162 372
s_mkdir.c 589 s_mknod() 162 372 s_mknod.c 591
s_mount() 162 372 s_mount.c 592 s_open() 162 372
s_open.c 592 s_pipe() 163 372 s_pipe.c 596 s_read()
163 372 s_read.c 598 s_recvfrom.c 600 s_routeadd.c

606 s_routedel.c 607 s_sbrk() 372 s_sbrk.c 608
s_send.c 609 s_setegid() 372 s_setegid.c 612
s_seteuid() 372 s_seteuid.c 612 s_setgid() 372
s_setgid.c 613 s_setjmp() 129 372 s_setjmp.c 613
s_setuid() 372 s_setuid.c 614 s_signal() 372
s_signal.c 614 s_socket.c 615 s_stat() 162 372
s_stat.c 617 s_stime() 372 s_stime.c 618
s_tcgetattr() 372 s_tcgetattr.c 618
s_tcsetattr() 372 s_tcsetattr.c 619 s_time() 372
s_time.c 620 s_umount() 162 372 s_umount.c 620
s_unlink() 162 372 s_unlink.c 622 s_wait() 372
s_wait.c 624 s_write() 163 372 s_write.c 625
s__exit() 372 s__exit.c 560 tap0 416 tastiera 34
tcgetattr() 239 tcgetattr.c 906 TCP 87 tcp() 174
tcp.c 679 tcp.h 394 679 787 tcp_close() 174
tcp_close.c 690 tcp_connect() 174 tcp_connect.c
691 tcp_rx_ack() 174 tcp_rx_ack.c 692
tcp_rx_data() 174 tcp_rx_data.c 693 tcp_show() 174
tcp_show.c 695 tcp_status.c 695 tcp_test.c 696
tcp_tx_ack() 174 tcp_tx_ack.c 697 tcp_tx_raw() 174
tcp_tx_raw.c 698 tcp_tx_rst() 174
tcp_tx_rst.c 699 tcp_tx_sock() 174 tcp_tx_sock.c
700 tcsetattr() 239 tcsetattr.c 907 termios.h 905
time() 241 time.c 913 time.h 907 time_t.h 758 touch
202 touch.c 1039 tty 202 315 tty.c 1041 tty.h 396 472
ttyname() 306 ttyname.c 933 tty_console() 142
tty_console.c 472 tty_init() 142 tty_init.c 473
tty_public.c 474 tty_read() 142 tty_read.c 474
tty_reference() 142 tty_reference.c 475 tty_t 104
tty_write() 142 tty_write.c 475 types.h 904
t_fcntl.c 1024 t_fifo.c 1024 t_grp.c 1026 t_nc.c
1026 t_ping2.c 1030 t_pipe.c 1031 t_read.c 1032
t_ret.c 1033 t_rx_udp.c 1033 t_scr.c 1034
t_setjmp.c 1035 t_sig.c 1035 t_sig2.c 1036
t_tx_tcp.c 1037 t_tx_udp.c 1038 UDP 85 udp.h 702 788
udp_tx() 174 udp_tx.c 702 umask() 242 umask.c 903
umount 324 umount() 222 umount.c 891 1041 unistd.h
913 unlink() 243 unlink.c 934 unsetenv() 296
unsetenv.c 859 utime.c 935 utime.h 935 u-area 121
vfprintf() 307 vfprintf.c 807 vfscanf() 308
vfscanf.c 807 vfscanf.c 807 VGA 13 vprintf() 307
vprintf.c 827 vscanf() 308 vscanf.c 827
vsnprintf() 307 vsnprintf.c 828 vsprintf() 307
vsprintf.c 843 vsscanf() 308 vsscanf.c 844 wait() 243
wait.c 905 wait.h 905 wchar_t.h 758 write() 244
write.c 934 yes 202 yes.c 1042 zero 315 zno_t 104
zone_alloc() 152 363 zone_alloc.c 527 zone_free() 152 363
zone_free.c 528 zone_print() 152 364
zone_print.c 529 zone_read() 152 364 zone_read.c
529 zone_write() 152 364 zone_write.c 530
z_perror() 244 z_perror.c 892 z_printf() 244
z_printf.c 892 z_vprintf() 244 z_vprintf.c 892
__alloc_list.c 860 _Exit() 203 _exit() 203 _exit.c
915 _Exit.c 846 _gcc.h 758 _in_16() 112 _in_16.s 533
_in_32.s 534 _in_8() 112 _in_8.s 534 _lldiv.c 759
_out_16() 112 _out_16.s 534 _out_32.s 535 _out_8() 112
_out_8.s 535 _sighandler_wrapper.s 793
__lldiv.c 760 __divdi3.c 759 __moddi3.c 759
__udivdi3.c 759 __umoddi3.c 759